



Bona Deep Clean Solution

HEAVY DUTY CLEANER FOR WOOD & RESILIENT FLOORING

Concentrated cleaner for thorough deep cleaning



Bona Deep Clean Solution is a versatile heavy-duty cleaner for both wood and resilient flooring. It is excellent for both periodic deep cleaning and as a degreaser before recoating. Outdoors it is also excellent for annual cleaning of wood decking. Formulated for high efficiency without compromising on safety. Used in combination with the Bona PowerScrubber it produces a squeaky-clean surface optimally prepared for the application of maintenance products or for recoating with Bona lacquer. Also suitable for manual cleaning.

- Suitable for both wood and resilient surfaces
- Revitalises dull, dirty floors
- Dissolves deeply engrained dirt
- Effective on scuff marks

TECHNICAL DATA

pH-value:	Concentrate ca. 12.5 Working solution ca. 11
Dilution:	For lacquered floors and decking: 1 litre detergent to 9 litres of water (10 %) For oiled floors: ½ litre detergent to 9,5 litres of water (5 %) For resilient flooring: 1 litre detergent to 9 litres of water (10 %)
Shelf life:	At least 2 years, from the date of production, in unopened original container.
Storage/Transport:	The temperature must not fall below +5°C or exceed +30°C during storage and transport.
Disposal:	Waste and emptied containers should be handled in accordance with local regulations.
Pack size:	3 x 5 litres (44 boxes per pallet)

Additional detailed information is noted in the appropriate Safety Data Sheet.

2023-09-05

This data sheet replaces all previous versions please check bona.com to ensure that you have the latest version.



Bona Deep Clean Solution

HEAVY DUTY CLEANER FOR WOOD & RESILIENT FLOORING

Concentrated cleaner for thorough deep cleaning

PREPARATION

Dry clean first with a Bona Microfiber Dusting pad or a vacuum cleaner to remove all loose dirt. Dilute Deep Clean Solution with water to a suitable concentration depending on the type of surface to be cleaned. If required, protect adjacent surfaces from spills. Bona Deep Clean Solution can be used manually or with a scrubbing machine and is specially optimised for the Bona PowerScrubber. For use of Bona Deep Clean Solution with other scrubbing machines, refer to specific scrubber drier manufacturer's set-up and operational procedures.

Note: After deep cleaning an oiled wood floor, it is necessary to re-apply fresh maintenance oil.

APPLICATION

Cleaning with Bona PowerScrubber

1. Fill 2/3 of the upper tank with clean, lukewarm water. Add Bona Deep Clean Solution as required (1 litre for resilient or lacquered wood floors, ½ litre for oiled wood floors) and fill up with more water until tank is full.
2. Set the adjustment knob to medium pressure and run the machine forwards along a straight path. Distribute detergent on your forward pass.
3. Without distributing more detergent, return to your original position along the same path (if the floor is heavily soiled then keep distributing detergent).
4. Do not allow excess cleaning solution to pool or puddle on a wood floor. Immediately wipe off spills or areas where the machine has missed with a mop.
5. Continue cleaning section by section until the entire floor has been cleaned.

Semi-manual cleaning with buffing machine

1. Apply diluted Deep Clean Solution to a small section of the floor and allow it 3 minutes to dissolve the dirt. Be moderate with the application if or where the floor has open gaps.
2. Scrub the wetted section using a buffing machine. On resilient floors or lacquered wood floors use up to a red Bona pad, on oiled wood floors up to a brown Bona pad can be used. Start using as mild a pad as possible and increase gradually as necessary.
3. Wipe off the dissolved dirt directly using a mop. Rinse the mop in a bucket with clean water and replace the cleaning water frequently.
4. Continue, section by section, until the entire surface has been cleaned.

After treatment

- After deep cleaning an oiled wood floor, it is necessary to re-apply fresh maintenance oil such as Bona Oil Care or Bona Wax Oil.
- Prior to applying a polish or a refresher (such as Bona Polish or Bona Freshen Up for lacquered wood or Bona Shield R for resilient floors), the whole surface must be neutralised by cleaning the floor an additional time with pure water only, as any residues from the Deep Clean Solution may act on the newly applied polish/refresher.



Bona Deep Clean Solution

HEAVY DUTY CLEANER FOR WOOD & RESILIENT FLOORING

Concentrated cleaner for thorough deep cleaning

Cleaning of wood and composite decking

Preparation

1. Remove loose dirt, moss etc. from the decking. Check for and correct any protruding nails and screws. Protect sensitive surfaces such as plants and aluminium details from stains.
2. Dampen the decking with water.

Cleaning with Bona PowerScrubber (with orange or red brushes)

1. Fill 2/3 of the upper tank with clean, lukewarm water. Add 1 litre Bona Deep Clean Solution and fill up with more water until tank is full.
2. Set the adjustment knob to medium pressure and run the machine forwards along a straight path. Distribute detergent on your forward pass. Suction bar should not be engaged.
3. Without distributing more detergent, return to your original position along the same path.
4. Flush away loosened material with water and continue with the next section.
5. If any stubborn stains remain a second pass can be made with the PowerScrubber or smaller areas can be manually spot cleaned following the Manual Cleaning instructions below.
6. Allow decking to dry thoroughly before surface treating with Bona Decking Oil.

Manual Cleaning

3. Mix a 10% solution of Bona Deep Clean Solution with water and apply generously on a 5-10 sqm section and let dwell for a few minutes. A good way to apply the product is to first pour the Deep Clean Solution into a clean, plastic bucket and then distribute it with a roller.
4. Scrub that section using a hard bristled brush.
5. Flush away loosened material with water and continue with the next section.
6. Allow decking to dry thoroughly before surface treating with Bona Decking Oil.

Tip

It's often easy to work in sections two or three boards wide along the entire length of the deck.

IMPORTANT NOTES

The above information is provided in good faith and to the best of our current knowledge but makes no claim to be complete. User is responsible for establishing that the product and recommendations herein are fit for the designated purpose, floor type and present situation before use. Bona can only guarantee the delivered product. A professional and thereby successful application of the product is beyond our control. If in doubt, make a preliminary test. User is required to read and understand all information contained on package labels and safety data sheets before using this product.

2023-09-05

This data sheet replaces all previous versions
please check bona.com to ensure that you have
the latest version.